

VS-PPC-F1-SCRJ-MNNA-1RP


Order No.: 1608061

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1608061>

SCRJ panel mounting frame, IP67, for push-pull interlocking, metal, for transceiver, for square panel cutout, with grommet, without mounting screws

Ethernet

**Commercial data**

GTIN (EAN)	 4 046356 131735
sales group	D520
Pack	1 pcs.
Customs tariff	85366990
Catalog page information	Page 331 (PC-2011)

Product notes

WEEE/RoHS-compliant since:
03/01/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**Mechanical characteristics**

Number of positions	2
Insertion/withdrawal cycles	≥ 500
Color	silver
Ambient temperature (operation)	-40 °C ... 80 °C

Material data


Inflammability class acc. to UL 94	V0
Housing material	Zinc die-cast
Material	Metal
Sealing material	NBR
Seal material	NBR
Degree of protection	IP65/67

Electrical characteristics

Number of positions	2
Pollution degree	2


Diagrams/Drawings

Drilling plan/solder pad geometry




Drilling diagram

Dimensioned drawing



Push-Pull SCRJ panel mounting frame



Panel cutout

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;