


## VC-TR1/2M-PEA

Order No.: 1607059

The illustration shows the version VC-TR 1/2 M-PEA

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1607059>Sleeve frame, with PE connection to housing, for contact insert  
modules, type 1, number of insert modules: 2

### Commercial data

GTIN (EAN)	 4 017918 940881
sales group	D211
Pack	5 pcs.
Customs tariff	85389099
Catalog page information	Page 465 (PC-2011)

### Product notes

WEEE/RoHS-compliant since:  
03/02/2006

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data


#### General data

Design	VC1
Height	27.5 mm
Width	50.2 mm
Color	black
Ambient temperature (operation)	-40 °C ... 100 °C


Material	PA
Inflammability class acc. to UL 94	V0

**Diagrams/Drawings**

Functional drawing



Dimensioned drawing



**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;